



Utah's UNI-DRIVE® line of co-axial speakers

featuring the all-new

dual diameter

magnetic circuitry producing **MORE POWER PER POUND**

In the fabulous new line of Dual Diameter Uni-Drive speakers, Utah has produced the *greatest power per pound* in a loudspeaker since the advent of Alnico V.

The combination of two Alnico magnetic material structures into one dual diameter, processed for new molecular orientation, produces nearly double the normal magnetic power.

This single speaker with two perfectly matched and balanced cones provides exacting full range reproduction of unsurpassed tonal quality, plus a bonus of reserve power.

Other great Utah-quality features are:


Dynamic Uni-Coils, the most rugged voice coil yet developed . . .

Slim Modern Design with heavier steel frame protection of cone and elimination of *Cross-over Response Drop-out* . . .


Treated Cone Skiver Rolls produce greatly improved frequency response and extremely long playing life . . .

Phase Coded Terminals for solderless installations . . .

Sky Blue Wrinkle Finish for lasting, dashing beauty.




MODEL NO. D15P




MODEL NO. D69J

MODEL NO.	SIZE & DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	FREQUENCY RESPONSE (CPS)	OUT-SIDE DIM. (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
D8J	8"	6.8	1	8	12	45/15,000	8½	4	7¼	3½	\$17.50
D8LA	8"	14.7	1¼	8	20	40/16,000	8½	4	7¼	4	24.95
D8P	8"	21.5	1½	8	20	35/13,000	8½	4¾	7¼	5	35.25
D12J	12"	6.8	1	8	15	35/15,000	12½	5½	11¼	6	19.95
D12LA	12"	14.7	1¼	8	40	30/16,000	12½	5¾	11¼	6½	29.95
D12P	12"	21.5	1½	8	30	30/14,000	12½	6½	11¼	7½	40.75
D15P	15"	21.5	1½	8	35	25/12,000	15¼	8	14¼	9½	44.50
D69J	6 x 9"	6.8	1	8	12	60/16,000	6¾ x 9¾	3¾	4¾ x 5¾	2½	16.95*

Utah's finest...the incomparable CONTINENTAL speakers



MODEL NO. C12RD



MODEL NO. CM8L



MODEL NO. CT5JN

MODEL NO.	SIZE & DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	FREQUENCY RESPONSE (CPS)	OUT-SIDE DIM. (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
CT5JN	5" Tweeter	6.8	1	16	40	3,500/20,000	5	3¼	4¼	¾	\$19.50
CM6J	6" Mid Range	6.8	1	16	15	600/6,000	6½	4	6½	¾	25.50
CM8L	8" Mid Range	14.7	1¼	16	20	500/5,000	8½	4¾	7¼	4½	39.95
C8P	8" Woofer	21.5	1½	16	20	25/8,500	8½	4¾	7¼	5	47.50
C8R	8" Woofer	2 lb.	2	16	25	20/8,000	8½	4¾	7¼	8	54.95
C12P	12" Woofer	21.5	1½	16	25	25/8,000	12½	6½	11¼	7½	52.00
C12R	12" Woofer	2 lb.	2	16	30	20/7,500	12½	6½	11¼	10½	59.95
C12RD	12" Woofer (Dual V.C.)	2 lb.	2	16 (series)	30	20/2,500	12½	6½	11¼	10½	75.00
C15R	15" Woofer	2 lb.	2	16	40	20/5,000	15¼	8	14¼	13	67.50




the MICRO-GAP speakers... utah's famed replacement standard of the industry


SPEAKERS, BAFELLES AND SOUND REPRODUCERS BY UTAH PRECISION CRAFTED FOR STEREO AND ALL SOUND REPRODUCTION




MODEL NO. SP4A
(SQUARE)



MODEL NO. SP69G
(OVAL)



MODEL NO. SP8D
(PIN CUSHION)



MODEL NO. SP12G
(ROUND)

MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	OUTSIDE DIM. (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
SP25A	2½" Sq.	.68	¾	3-4	2	2½	1½	2½	¼	\$ 3.95
SP27A	2¼" Rnd.	.68	¾	12-16	2	2¼	1¼	—	¼	4.30
SP3A	3" Sq.	.68	¾	3-4	3	3	1½	3¼	½	3.90
†SP35A	3½" Sq.	.68	¾	3-4	3	3½	1½	3½	¾	3.95
†SP35B	3½" Sq.	1.00	¾	3-4	3	3½	2	3½	¾	4.35
SP4Y	4" Sq.	.55	¾	3-4	4	4½	1½	4½	½	2.95
SP4Y-8	4" Sq.	.55	¾	8	4	4½	1½	4½	½	3.25
SPL4A	4" Sq.	.68	¾	3-4	4	4½	1½	4½	¾	3.35
†SP4A	4" Sq.	.68	¾	3-4	4	4½	1½	4½	¾	3.95
†SP4B	4" Sq.	1.00	¾	3-4	4	4½	2½	4½	1	4.35
SP4D	4" Sq.	1.47	¾	3-4	5	4½	1½	4½	¾	4.45
SP5Y	5" P.C.	.55	¾	3-4	4	4½	1½	4½	½	3.50
SP5Y-8	5" P.C.	.55	¾	8	4	4½	1½	4½	½	3.85
SPL5A	5" P.C.	.68	¾	3-4	4	4½	1½	4½	¾	3.80
SPR5A	5" Rnd.	.75	¾	3-4	4	5	1½	4½	¾	3.90
†SP5A	5" P.C.	.68	¾	3-4	4	4½	2½	4½	¾	4.10
†SP5B	5" P.C.	1.00	¾	3-4	4	4½	2½	4½	1	4.45
SP5D	5" P.C.	1.47	¾	3-4	5	4½	2½	4½	1	4.60
SP52B	5¼" P.C.	1.00	¾	3-4	5	5½	1½	5½	¾	4.75
SP52B-8	5¼" P.C.	1.00	¾	8	5	5½	1½	5½	¾	5.10
†SP6A	6" P.C.	.75	¾	3-4	4	6½	2¼	6½	¾	4.75
†SP6B	6" P.C.	1.00	¾	3-4	5	6½	2½	6½	¾	4.90
†SP6D	6" P.C.	1.47	¾	3-4	6	6½	2½	6½	1	5.40
†SP6D-8	6" P.C.	1.47	¾	8	6	6½	2½	6½	1	5.75
†SP6EL	6" P.C.	2.15	¾	3-4	8	6½	2½	6½	1½	5.95
SP7B	7" P.C.	1.00	¾	3-4	6	7	2½	4¼ x 5¼	1¼	5.45
SP8B	7½" P.C.	1.00	¾	3-4	5	7½	2½	7½	1¼	6.45
†SP8D	7½" P.C.	1.47	¾	3-4	6	7½	3	7½	1¼	6.95
†SP8D-8	7½" P.C.	1.47	¾	8	6	7½	3	7½	1½	7.25
SP8E	7½" P.C.	2.15	1	3-4	8	7½	2½	7½	1½	7.25
†SP8F-8	7½" P.C.	3.16	¾	8	8	7½	3½	7½	1¼	8.75
SP8G	8" Rnd.	3.16	1	3-4	10	8½	3½	7½	2	\$ 8.50
SP8J	8" Rnd.	6.80	1	3-4	12	8½	4¼	7½	3¼	11.30
SP8J-8	8" Rnd.	6.80	1	8	12	8½	4¼	7½	3¼	11.70
†SP10D	10" P.C.	1.47	¾	3-4	6	9½	4½	9½	2	8.75
†SP10G	10" Rnd.	3.16	1	3-4	12	10½	4½	9½	2½	10.50
SP12D	12" Rnd.	1.47	¾	3-4	6	12½	5½	11½	3½	10.00
SP12G	12" Rnd.	3.16	1	3-4	10	12½	5½	11½	4	12.50
SP12J	12" Rnd.	6.80	1	3-4	15	12½	6½	11½	4¼	14.55
SP12J-8	12" Rnd.	6.80	1	8	15	12½	6½	11½	4¼	14.90
SP46Y	4 x 6 Oval	.55	¾	3-4	3	4½ x 6½	1½	3½ x 4½	½	3.95
SP46A	4 x 6 Oval	.75	¾	3-4	4	4½ x 6½	1½	3½ x 4½	½	4.50
SP46B	4 x 6 Oval	1.00	¾	3-4	4	4½ x 6½	1¾	3½ x 4½	¾	5.00
SP46D	4 x 6 Oval	1.47	¾	3-4	5	4½ x 6½	1½	3½ x 4½	¾	5.20
SP57Y	5 x 7 Oval	.55	¾	3-4	3	5 x 7¼	2½	6½	¾	4.50
SP57A	5 x 7 Oval	.75	¾	3-4	4	5 x 7¼	2½	6½	¾	4.95
SP57B	5 x 7 Oval	1.00	¾	3-4	4	5 x 7¼	2½	6½	1	5.25
SP57B-8	5 x 7 Oval	1.00	¾	8	4	5 x 7¼	2½	6½	1	5.65
SP57D	5 x 7 Oval	1.47	¾	3-4	5	5 x 7¼	2½	6½	1	5.75
SP57E	5 x 7 Oval	2.15	¾	3-4	8	5 x 7¼	3½	6½	1½	6.75
†SP69A	6 x 9 Oval	.68	¾	3-4	4	6½ x 9½	3¼	4½ x 6½	1	6.50
†SP69B	6 x 9 Oval	1.00	¾	3-4	4	6½ x 9½	2½	4½ x 6½	1¼	6.75
†SP69D	6 x 9 Oval	1.47	¾	3-4	6	6½ x 9½	3¼	4½ x 6½	1¼	7.40
†SP69D-8	6 x 9 Oval	1.47	¾	8	6	6½ x 9½	3¼	4½ x 6½	1¼	7.80
†SP69E	6 x 9 Oval	2.15	1	3-4	8	6½ x 9½	3¼	4½ x 6½	1¼	7.75
†SP69G	6 x 9 Oval	3.16	1	3-4	10	6½ x 9½	3¼	4½ x 6½	2	9.40
†SP69J	6 x 9 Oval	6.80	1	3-4	12	6½ x 9½	4½	4½ x 6½	3	10.95

All models are individually boxed and labeled.


Utah's new Z-700 transformer or speaker mounting bracket for use on Models SP25A, SP3A, SP4Y, SP4Y-8, SPL4A, SP5Y, SP5Y-8, SPL5A, SPR5A, SP6A, SP46A, SP46Y, and SP57A available at 25c each.

†Models indicated have transformer mounting brackets, or facilities.


Utah's Z-575 exclusive angle mounting bracket, for use on Models SP35A, SP35B, SP4A, SP4B, SP5A, SP5B, and SP69A available at 30c each.




Utah's FABULOUS G quality speakers... sensibly priced




MODEL NO. G12J



MODEL NO. GM8J




MODEL NO. GT5FN



MODEL NO. G15F5

MODEL NO.	SIZE & DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	FREQUENCY RESPONSE (CPS)	OUT-SIDE DIM. (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
GT5F	5" Tweeter	3.16	3/4	8	30	3,000/19,500	5	2 1/16	4 1/16	1 1/4	\$ 8.75
GT5FN	5" Tweeter w/ Crossover	3.16	3/4	8	30	3,000/19,500	5	2 1/8	4 1/16	1 3/4	12.95
GM6F	6" Mid Range	3.16	3/4	8	8	1,500/7,000	6 1/2	3 3/16	6 3/32	3	12.60
G8J	8" Ext. Range	6.8	1	8	12	50/14,000	8 3/32	4 1/16	7 1/16	3	13.80
GM8J	8" Mid Range	6.8	1	8	25 w/ Crossover	600/13,500	8 3/32	4 1/16	7 1/16	3	13.80
GMT8J	8" Mid Range Tweeter	6.8	1	8	25 w/ Crossover	130/20,000	8 3/32	4 1/4	7 1/16	3 3/4	17.95
G8S	8" Woofer	1 lb.	2	8	20	40/8,000	8 3/32	4 3/4	7 1/16	5 3/4	34.95
G12J	12" Ext. Range	6.8	1	8	15	40/13,000	12 3/16	6 3/32	11 1/16	5	17.30
G12S	12" Woofer	1 lb.	2	8	25	35/8,000	12 3/16	6 3/16	11 1/16	8	38.90
G12P	12" Low-Mid Range	21.5	1 1/2	8	30	35/8,000	12 3/16	7 3/16	11 1/16	7 3/4	39.50
G15P	15" Low-Mid Range	21.5	1 1/2	8	35	30/8,000	15 1/8	8	14 3/16	10 1/2	44.25
G15R	15" Woofer	2 lbs.	2	8	40	20/5,000	15 1/8	8	14 3/16	12 1/4	56.75
G12J3	12" Co-Ax	6.8	1	8	15	35/17,500	12 3/16	7 7/16	11 1/16	6 1/2	39.75
G12P5	12" Co-Ax	21.5	1 1/2	8	30	35/19,500	12 3/16	7 7/16	11 1/16	9 1/2	57.50
G15P5	15" Co-Ax	21.5	1 1/2	8	35	30/19,500	15 1/8	8 3/4	14 3/16	12 1/4	65.00


SCOTSMAN series... true high-fi and stereo at budget prices



MODEL NO. CSP12J3



MODEL NO. TSP35A



MODEL NO. SP8GC



MODEL NO. SP69DC

MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	FREQUENCY RESPONSE (CPS)	OUT-SIDE DIM. (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
TSP35A	3 1/2" Tweeter	.68	3/16	8	10	Crossover to 12,000	3 1/32	2	3 3/32	3/4	\$ 5.50
TSP4A	4" "	.68	3/16	8	15	Crossover to 13,000	4 3/32	2 1/32	4 1/16	3/4	5.95
TSP5D	5" "	1.47	3/4	8	20	Crossover to 15,000	5	2 1/16	4 1/16	1 1/4	6.60.
SP8GC	8" Dual Cone	3.16	1	8	10	70/10,000	8 3/32	4 3/32	7 1/16	3	12.95
CSP8G2	8" Co-Axial	3.16	1	8	10	70/11,000	8 3/32	5 3/8	7 1/16	3 3/4	18.25
SP8JC	8" Dual Cone	6.80	1	8	12	45/14,500	8 3/32	4 1/4	7 1/16	3 1/4	16.50
SP12JC	12" Dual Cone	6.80	1	8	15	35/14,500	12 3/16	6 3/32	11 1/16	4 3/4	18.75
*CSP12J3	12" Co-Axial	6.80	1	8	15	40/15,500	12 3/16	7 1/2	11 1/16	6 1/2	25.00
SP15J	15" Low and Mid Range	6.80	1	8	20	35/5,000	15 1/8	6 3/4	14 3/16	6	22.75
CSP15J5	15" Co-Axial	6.80	1	8	20	35/16,000	15 1/8	8 3/16	14 3/16	9 1/4	41.10
SP57DC	5 x 7" Dual Cone	1.47	3/4	3-4	8	60/12,000	5 x 7 1/4	2 21/32	6 3/32	1 1/4	7.75
SP69DC	6 x 9" Dual Cone	1.47	3/4	3-4	8	50/13,500	6 3/8 x 9 3/16	3 3/8	4 3/8 x 6 3/16	1 1/4	9.00
SPD69E	6 x 9" Dual Co-Axial	2.15	3/4	3-4	10	50/10,000	6 3/8 x 9 3/16	4 3/32	4 3/8 x 6 3/16	3	17.45
CSP69E3	6 x 9" Co-Axial	2.15	3/4	8	10	60/14,500	6 3/8 x 9 3/16	4 3/32	4 3/8 x 6 3/16	3	16.95


*Improved Model of CSP12H3.

SPEAKERS, BAFFILES AND SOUND REPRODUCERS BY UTAH PRECISION CRAFTED FOR STEREO AND ALL SOUND REPRODUCTION




Utah's STEREO system and utah Baffles


WALL-DESK OR TABLE MODEL SS101
Ideal, wherever space is at a premium. Stereo balance/monaural volume control.
Stereo audio watts: 5; imp 8 ohms. Size: 9 1/2" h x 13" w x 7" d. List price \$30.40.



CONSOLE MODEL SS103
Excellent 3 speaker system with presence/brilliance control. Stereo audio watts: 20; imp 8 ohms.
Size: 30 1/4" h x 21 1/2" w x 14" d. List price \$139.95. (Enclosure only, model SC103 \$69.30.)




BOOKSHELF MODEL SS102
Stereo-flex type enclosure, two speakers and stereo balance control/monaural volume.
Size: 10" h x 20" w x 10 1/4" d. Stereo audio watts: 10; imp 8 ohms. List price \$63.50. (Enclosure only; Model SC102 \$25.60.)




BOOKSHELF MODEL SA102
Complete with 10W push-pull 6V6's with high effective inverse feed-back circuit. Features dual input for ceramic or magnetic cartridges and transistor preamp. Imp 8 ohms. List price, \$110.95.

custom All Models feature Utah's fabulous new Dual Diameter Speakers. Available in three beautiful wood finishes. Mahogany, Oak, Danish Walnut.

STYLE	SIZE	MODELS			A	B	C	D	LIST PRICE
		MAHOGANY	OAK	WALNUT					
'A'	4 & 5"	PM45	PO45	PW45	8 1/4"	7 1/4"	2 1/2"	4 1/4"	\$ 8.60
	6"	PM6	PO6	PW6	8 1/4"	7 1/4"	2 1/2"	4 1/4"	9.10
	8"	PM8	PO8	PW8	12	9 1/2"	4 1/4"	6 1/4"	10.50
	12"	PM12	PO12	PW12	17	13 1/2"	5 1/4"	8	14.95
'B'	8"	CPM8	CPO8	CPW8	15 1/2"	15 1/2"	8 1/4"	—	12.95
	12"	CPM12	CPO12	CPW12	17 1/2"	17 1/2"	9 1/4"	—	17.25
Matching Backs for Style 'A' Baffles	4-5-6"	AM-56	AO456	AW456					1.50
	8"	AMB	A08	AW8	Mounting Hardware Included				1.75
	12"	AM12	AO12	AW12					2.25




MODEL NO. CPM8 (STYLE B)



MODEL NO. P08 (STYLE A)

deluxe




STYLE	SIZE	MODELS		A	B	C	D	LIST PRICE
		MAHOGANY	BLONDE					
'A'	8"	DM-8	DB-8	12	9 1/2"	4 1/4"	6	\$ 9.95
	12"	DM-12	DB-12	17	13 1/2"	5 1/4"	8 1/4"	14.70
'B'	8"	DCM-8	DCB-8	15 1/2"	14	8 1/4"	7 1/4"	12.10
	12"	DCM-12	DCB-12	19 1/2"	17 1/2"	10 1/4"	12	16.60

ADAPTOR BOARDS
Available to mount 5, 6, 8, 10 inch Speakers in 6, 8, 10, 12 inch wall Baffles.

MODEL NO.	SPK. TO BAFF.	LIST PRICE
AD-56	5" to 6"	.75
AD-68	6" to 8"	.90
AD-810	8" to 10"	1.10
AD-812	8" to 12"	1.25
AD-1012	10" to 12"	1.25

Utah factory installs speakers, transformers at no extra charge. Mounting hardware included free with each baffle.



standard


MODEL NO. DB8 (STYLE A)

STANDARD SERIES (FLAT WALL)

SIZE	MODELS		A	B	C	D	LIST PRICE
	MAHOGANY	BLONDE					
6"	MB-6	BB-6	8 1/4"	9 1/4"	2 1/4"	4 1/4"	\$ 5.95
8"	MB-8	BB-8	9 1/4"	10 1/4"	3 1/4"	5 1/4"	7.50
10"	MB-10	BB-10	11 1/4"	12 1/4"	4 1/4"	6 1/4"	8.95
12"	MB-12	BB-12	13 1/4"	14 1/4"	5 1/4"	8 1/4"	11.50

ECONOMY CORNER Baffles

8"	CM-8	CB-8	9 1/2"	9 1/2"	6 1/4"	—	6.75
12"	CM-12	CB-12	13 1/2"	13 1/2"	8 1/4"	—	10.50




MODEL NO. DCM8 (STYLE B)

MODEL NO. CB8

MODEL NO. MB8

8" combination speaker and baffle

8 ohm speaker features effective 6.8 oz. Dual Diameter magnetic circuitry. 70.7 volt constant voltage transformer with taps at .62, 1.25, 2.5, 5, and 10 watts; assembled with volume control and terminal board. This ready-to-use system excellent for all indoor installations. Power handling capacity: 10 watts. 25 volt constant voltage line transformer available on special order.



MODEL NO. DB8-A

STANDARD SERIES BAFFLE SAME AS MB-8 & BB-8

DELUXE SERIES BAFFLE SAME AS DM-8 & DB-8

MODEL	SIZE & FINISH	LIST PRICE
MB8-A	8" Mahogany	\$27.25
BB8-A	8" Blonde	27.25

MODEL	SIZE & FINISH	LIST PRICE
DM8-A	8" Mahogany	\$29.75
DB8-A	8" Blonde	29.75

SPEAKERS, BAFFLES AND SOUND REPRODUCERS BY UTAH PRECISION CRAFTED FOR STEREO AND ALL SOUND REPRODUCTION

utah's AUTOMOTIVE rear deck systems


"RF" custom series

MODEL NO. RFD69E



MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATTS)	SHIP. WT. (LBS.)	LIST PRICE
RF57B	5 x 7"	1.0	3/4	3-4	4	2	\$11.50
RF57E	5 x 7"	2.15	1	3-4	6	2 1/4	12.50
RF69B	6 x 9"	1.0	3/4	3-4	4	2 1/4	12.50
RF69E	6 x 9"	2.15	1	3-4	8	2 1/4	13.50
RF69EX	RF69E less grille	2.15	1	3-4	8	1 3/4	12.95
RFD69E	6 x 9" Dual Co-Ax.	2.15	3/4	3-4	9	3	20.50
*RF62E	6" 3-way Spkr. Sys.	2.15	3/4	3-4	8	2 1/2	24.95


"DUO" deluxe series



MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATTS)	SHIP. WT. (LBS.)	LIST PRICE
R57A	5 x 7"	.68	3/4	3-4	4	1	\$ 7.35
R57B	5 x 7"	1.0	3/4	3-4	4	1	7.70
R69A	6 x 9"	.75	3/4	3-4	4	1 1/4	8.55
R69D	6 x 9"	1.47	3/4	3-4	6	1 1/4	9.40
R57DC	5 x 7" Co-Axial	1.47	3/4	3-4	4	1	11.50
R69DC	6 x 9" Co-Axial	1.47	3/4	3-4	6	1 1/4	12.50
*R62E	6" 2-Spkr. Sys.	2.15	3/4	3-4	8	2 1/2	18.95

*R62E & R62E have regular 6 x 9 mounting dimensions.

rear deck control kits



MODEL NO.	DESCRIPTION	SHIP. WT. (LBS.)	LIST PRICE
RKF	Duo Deluxe Fader Control	1/2	\$2.50
RKS	Duo Deluxe 3-Position Switch	1/2	2.50
RDF	RF Custom Fader Control	3/4	5.95

utah's AUTOMOTIVE REPLACEMENT speakers

MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	OUTSIDE DIMENSION (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
SP52B	5 1/4" P.C.	1.00	3/4	3-4	5	5 1/4	1 1/4	5 1/2	1/2	\$ 4.75
SP6B	6" P.C.	1.00	3/4	3-4	5	6 1/2	2 1/2	6 1/2	3/4	4.90
SP7B	7" P.C.	1.00	3/4	3-4	6	7	2 1/2	4 1/4 x 5 3/4	1 1/4	5.45
SP57B	5 x 7" Oval	1.00	3/4	3-4	4	5 x 7 1/4	2 1/4	6 1/2	1	5.25
SP57E	5 x 7" Oval	2.15	1	3-4	8	5 x 7 1/4	3 1/4	6 1/2	1 1/2	6.75
SP57DC	5 x 7" Oval	1.47	3/4	3-4	8	5 x 7 1/4	2 1/2	6 1/2	1 1/4	7.75
SP69B	6 x 9" Oval	1.00	3/4	3-4	4	6 1/2 x 9 1/4	2 1/2	4 1/4 x 6 1/4	1 1/4	6.75
SP69E	6 x 9" Oval	2.15	1	3-4	8	6 1/2 x 9 1/4	3 1/4	4 1/4 x 6 1/4	1 3/4	7.75
SP69DC	6 x 9" Oval	1.47	3/4	3-4	8	6 1/2 x 9 1/4	3	4 1/4 x 6 1/4	1 1/4	9.00
SPD69E	6 x 9" Oval	2.15	3/4	3-4	10	6 1/2 x 9 1/4	4 1/2	4 1/4 x 6 1/4	3	17.45
*VW5E	5" P.C.	2.15	3/4	3-4	4	4 1/4	2 1/4	4 1/4	1	5.55

*Exact Replacement for Volkswagen and Foreign Cars.



MODEL NO. SP69B




MODEL NO. SP57B



MODEL NO. SP52B

utah's speakers for AIRCRAFT

MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	OUTSIDE DIMENSION (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
A5F1	5" P.C.	3.16	3/4	45	9	4 1/4	2 1/4	4 1/4	1 1/4	\$7.75
A5C13	5" P.C.	1.47	3/4	30	5	4 1/4	2 1/4	4 1/4	1	6.95
A5C73	5" P.C.	1.47	3/4	3-4	4	4 1/4	2 1/4	4 1/4	1	7.35



MODEL NO. A5F1

SPEAKERS, BAFFILES AND SOUND REPRODUCERS BY UTAH PRECISION CRAFTED FOR STEREO AND ALL SOUND REPRODUCTION


utah PUBLIC ADDRESS permanent magnet speakers

DELUXE SERIES


MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V. C. DIA. (IN.)	V. C. IMP. (OHMS)	PEAK AUDIO (WATT)	FREQUENCY RESPONSE (CPS)	OUTSIDE DIM. (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP WT. (LBS.)	LIST PRICE
PA6D	6"	1.47	3/4	8	8	70/6,000	6 1/2	2 1/4	6 1/8	1 1/2	\$ 5.95
PA6F	6"	3.16	3/4	8	8	90/8,000	6 1/2	3 1/8	6 1/8	1 1/2	7.50
PA8D	8"	1.47	3/4	8	8	70/7,000	7 1/2	3 1/8	7 1/4	1 3/4	8.10
PA8F	8"	3.16	3/4	8	8	70/8,000	7 1/2	3 1/2	7 1/4	1 3/4	10.50
PA8J	8"	6.8	1	8	9	60/8,000	8 3/4	3 3/4	7 1/4	3	13.80
PA10J	10"	6.8	1	8	12	60/7,500	10 3/4	4 5/8	9 5/8	3 3/4	14.95
PA12J	12"	6.8	1	8	15	50/8,500	12 3/4	5 1/2	11 1/4	5	17.30

SUPREME SERIES


MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V. C. DIA. (IN.)	V. C. IMP. (OHMS)	PEAK AUDIO (WATT)	FREQUENCY RESPONSE (CPS)	OUTSIDE DIM. (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP WT. (LBS.)	LIST PRICE
PA8M	8"	14.7	1 1/4	8	20	50/7,000	8 3/4	4	7 1/4	4	\$25.95
PA10M	10"	14.7	1 1/4	8	20	50/6,000	10 3/4	4 3/4	9 5/8	4 1/4	27.50
PA12M	12"	14.7	1 1/4	8	25	50/7,000	12 3/4	5 1/2	11 1/4	6	33.50
PA12P	12"	21.5	1 1/2	8	30	40/6,500	12 3/4	6 3/4	11 1/4	7 1/4	39.50
PA15P	15"	21.5	1 1/2	8	30	30/6,000	15 1/4	8	14 1/4	10	42.65
PA15R	15"	31.6	2	8	40	30/5,000	15 1/4	8	14 1/4	12 1/2	56.75




MODEL NO. PA8J



MODEL NO. PA6F



MODEL NO. PA8M



MODEL NO. PA15P

utah's line TRANSFORMERS

MODEL NO.	STYLE	PRIMARY IMPEDANCE/POWER	SECONDARY IMPEDANCE (OHMS)	NOMINAL WATTS	CORE SIZE	DIMENSIONS			MTG. CENTERS	SHIP. WT. (LBS.)	LIST PRICE
						HEIGHT	WIDTH	DEPTH			
70.7 V CONSTANT VOLTAGE LINE											
CV702	A	2/1/5	8/4	—	3/8 x 3/8	1 1/4	1 1/2	1 1/4	1 1/4	1/2	\$3.05
CV705	A	5/2.5/1.25 .62/.31	8/4	—	1/2 x 1/2	1 3/8	1 3/4	1 3/8	2	3/4	4.00
CV7010	B	10/5/2.5 1.25/.62	16/8/4	—	3/8 x 3/8	2	1 3/8	1 1/2	2	3/4	4.55
CV7018	B	18/9/4.5 2.25/1.12	16/8/4	—	3/4 x 3/4	2 3/4	2	2	2 3/8	1 1/4	5.75
25 V CONSTANT VOLTAGE LINE											
CV252	A	2/1/5	8/4	—	3/8 x 3/8	1 1/4	1 1/2	1 1/4	1 1/4	1/2	3.15
CV255	B	5/2.5/1.25 .62/.31	8/4	—	3/8 x 3/8	2	1 3/8	1 3/8	2	1/2	4.50
CV2510	B	10/5/2.5 1.25/.62	16/8/4	—	3/8 x 3/8	2 3/4	2 3/4	2 1/4	2 3/4	1 1/4	5.60
CV2518	B	18/9/4.5 2.25/1.12	16/8/4	—	1 x 1	3	2 3/4	2 1/2	3 3/8	2 1/4	7.70
UNIVERSAL LINE (IMPEDANCE MATCHING)											
1633	A	500/1000 1500/2000	8/4	4	1/2 x 1/2	1 3/8	1 1/4	1 1/4	2	1/2	2.95
8747	A	500/1000 1500/2000	8/4	8	3/8 x 3/8	1 3/8	1 1/4	1 3/8	2 3/8	3/4	3.19
8749	B	500/1000 1500/2000	8/4	12	3/4 x 3/4	2 3/4	1 1/4	1 1/2	2 3/8	1 1/4	3.85



STYLE A



STYLE B

outdoor replacement speakers

MODEL NO. SP5B



MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	OUTSIDE DIMENSION (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
SP4B	4" Sq.	1.00	3/4	3-4	4	4 3/4	2 1/4	4 1/4	1	\$4.35
SP5B	5" P.C.	1.00	3/4	3-4	4	4 3/8	2 3/4	4 1/4	1	4.45

inter-communication speakers

MODEL NO. SP35AI



MODEL NO.	SIZE AND DESCRIPTION	MAGNET WEIGHT (OZ.)	V.C. DIA. (IN.)	V.C. IMP. (OHMS)	PEAK AUDIO (WATT)	OUTSIDE DIMENSION (IN.)	DEPTH (IN.)	MTG. DIA. (IN.)	SHIP. WT. (LBS.)	LIST PRICE
SP35AI	3 1/2"	.68	3/4	45	4	3 1/2	1 7/8	3 1/2	3/4	\$3.75
SP4AI	4"	.68	3/4	45	4	4 3/4	1 7/8	4 1/4	3/4	3.95
SP5AI	5"	.68	3/4	45	4	4 3/4	2 1/4	4 1/4	3/4	4.10

SPEAKERS, BAFLES AND SOUND REPRODUCERS BY UTAH PRECISION CRAFTED FOR STEREO AND ALL SOUND REPRODUCTION