

REK-O-KUTT



*Precision Turntables*

# HIGH FIDELITY HAS COME HOME



**H**igh fidelity is rapidly becoming a part of our home life. Up until now, true quality in music reproduction was considered an experience reserved exclusively for professional engineers connected with recording studios and radio stations. Fortunately, this is all changed. High fidelity is coming into the home . . . where it belongs . . . as a part of better living.

As specialists in the field of professional sound reproduction, and having served this field for years, we welcome this change. The standards that we have carefully developed and maintained can now fulfill a greater purpose. The quality we have achieved for the studio, can now bring the same experience of delightful sound into every living room in America. No manufacturer is so impersonal as not to feel some awe for the scope of so great a responsibility.

Much credit is due to those who pioneered in high fidelity and developed the records, the pickups, the amplifiers, speakers and other components, as we know them today.

*Our Contribution is the Turntable*

**Engineered for the Studio  
Designed for the Home**

**HARVEY RADIO CO., INC.**


105 WEST 43RD ST.

N. Y. 18, N. Y.

## *Models T-12H and T-43H*

### *Dual Speed*

The Models T-12H and T-43H represent the ultimate in turntable design. These are specifically recommended for systems capable of reproducing frequencies below 40 cycles. Except for the difference in size, the construction and performance standards are the same as for the finest Rek-O-Kut 16-inch broadcast models. Wow and flutter content and speed regulation are well within the specified limits defined by the NARTB.



\$119<sup>95</sup>

#### **SPECIFICATIONS**

**NOISE LEVEL:** 50 db below average record level.

**MOTORS:** Hysteresis synchronous.

**SPEEDS:** Model T-12H—78 and 33  $\frac{1}{3}$  rpm.  
Model T-43H—45 and 33  $\frac{1}{3}$  rpm.

**SPEED SELECTION:** Instantaneous shift. Engages either idler without stopping turntable or removing disc.

**CHASSIS:** Made of cross-ribbed, cast aluminum, and designed for flush-mounting in rectangular cut-out.

**FINISH:** Wrinkle grey.

**DIMENSIONS:** 12  $\frac{1}{2}$ " x 15". Height above chassis: 1  $\frac{3}{8}$ ". Depth below chassis: 6  $\frac{1}{2}$ ".

**SHIPPING WEIGHT:** 19 lbs.

**ACCESSORIES FOR SPEED CONVERSION** on reverse side.

*For*

**HIGH QUALITY**

*Record*

*Reproduction*

**REK-O-KUT**

**PRECISION**

**TURNTABLES**

**12  
INCH**

All Rek-O-Kut Turntable Units are internally rim-driven. Idlers are made of neoprene compound to insure perfect traction, and quiet operation. All inter-moving parts are case-hardened, and polished to a micro finish.

The **Turntables** on Rek-O-Kut Units are made of cast aluminum, and exert no 'pull' on magnetic cartridges. They are accurately lathe-turned with extra-heavy rims for dynamically balanced flywheel action.

**Motors** are shock-mounted, and are fitted with lamitex pulleys which are pressed on to, and ground directly on the motor shafts. This special technique insures absolute concentricity of pulley and motor shaft, thereby promoting smooth, rumble-free operation.

# REK-O-KUT 12 Precision Turntables

INCH



\$84<sup>95</sup>

## ACCESSORIES FOR SPEED CONVERSION

For Models T-12 and T-12H

45-rpm IDLER and ADAPTER — Interchanges with 33 1/3-rpm idler.....Part T-103A ... \$ 8.00

For Models T-43 and T-43H

78-rpm IDLER—Interchanges with 45-rpm idler Part T-104-43 ... 7.50

PORTABLE CASE for All Above Models...Part C-12H ... 26.95

## Models T-12 and T-43 Dual Speed

The Models T-12 and T-43 units are, in all respects identical to the Models T-12H and T-43H, with the following exception:

**NOISE LEVEL:** 40 db below average record level.

**MOTORS:** Induction — 4-pole, constant speed — built to Rek-O-Kut specifications.

**SHIPPING WEIGHT:** 18 lbs.

## Model LP-743 3-Speed

The LP-743 is an outstanding example of the specialized skill that enables the manufacturer to retain quality at moderate cost. The LP-743 permits the discriminating listener to enjoy all the known advantages of a professional type turntable, at a price no higher than demanded for changer mechanisms. The LP-743 is dimensioned for easy replacement of ordinary units.

### SPECIFICATIONS

**NOISE LEVEL:** 30 db below average record level.

**MOTOR:** Induction — built to Rek-O-Kut specifications — 4-pole, constant speed.

**SPEEDS:** 78, 45, and 33 1/3 rpm.

**SPEED SELECTION:** Instantaneous shift. Engages either idler without stopping turntable or removing disc.



\$59<sup>50</sup>

**CHASSIS:** Heavy-gauge steel plate.

**FINISH:** Hammertone grey.

**DIMENSIONS:** 12" x 15". Height above chassis: 1 3/8"  
Depth below chassis: 5"

**SHIPPING WEIGHT:** 14 lbs.

*Manufacturers of Fine Recording and Playback Equipment,  
and Specialized Sound Systems. Data Available on Request.*

## The REK-O-KUT COMPANY

39-01 Queens Boulevard, Long Island City 1, N. Y.

EXPORT: MORHAN EXPORTING • 458 Broadway, New York 13, N. Y.

CANADA: ATLAS RADIO • 560 King Street, W., Toronto, 2B

