

Langevin

AM4A MIXER SYSTEM
ORDER OR QUOTATION FORM

PLEASE SPECIFY WHETHER THIS IS AN ORDER OR A REQUEST FOR A QUOTATION:

Order or request for quotation.

FROM:

Person or firm ordering or requesting quotation.

Street

City

State

Zip Code No.

Area Code and phone number

Extension

HANDLED THROUGH:

Name of Langevin distributor

City

DATE SUBMITTED:

Day

Month

Year

BEFORE FILLING OUT THE FORM, please obtain sales literature from your Langevin distributor. If, after reading same, there are any questions, consult him or write or call the factory at the address listed on the bottom of this page.


Depending on your geographical location, your Langevin distributor may be able to demonstrate the AM4A System to you ... or may direct you to a place where a demonstration can be made. If at all possible, please do see the system before purchasing ... as this will greatly aid you in supplying Langevin with proper information.

LANGEVIN AM4A MIXER SYSTEM

ORDER FORM

- 1) For how many program input channels shall we wire the housing, including those that you perhaps are reserving for future expansion? _____
- 2) How many AM401 Input Modules are you now ordering for installation into the stations of 1, above? _____
- 3) For how many program output channels shall we wire the housing, including those that you perhaps are reserving for future expansion? _____
- 4) How many AM407 Output Modules are you now ordering for installation into the stations of 3, above? _____
- 5) *If your proposed system is monophonic, and your answer to 3, above, is "1", ignore this question. If your proposed system is stereo, and you want one MG61 Board Master Gain Control, enter "1" in the blank at the right.* _____
- 6) Total your answers to 1, 3 and 5, above, and enter the sum at the right. _____
- 7) If your sum in 6, above, is 13 or less, you may choose the AH21/13 (13 module) Housing. If your sum is over 13 but not over 19, choose the AH21/19 (19 module) Housing. In the blank at the right, enter "13" or "19", thus indicating your choice. _____
- 8) Langevin normally places input modules to the operators' left, and output modules to the operators' right. If there is a Board Master Gain Control, it is normally placed at the extreme right. However, to avoid any possible confusion, please fill in the diagram below. Mark into the panel module spaces the Langevin type numbers that are applicable.

You are looking squarely down on the sloping-panel section of the AM4A



OPERATOR'S LEFT

OPERATOR'S RIGHT

- 9) Please refer to your answer to 3, above. We would normally install this quantity of Vu Meters. However, if you want us to install a fewer number (and cover the remaining holes with blank panels), please enter your desired quantity at the right. _____
- 10) Do you want us to install (on the meter panel) one Monitor Master Gain Control (ganged, if system is to be stereo)? _____
- 11) If the answer to 10, above, is "yes", do you want a "T" type of control (with no fixed loss) ... or do you want a "ladder" type of control with an insertion loss of 6 dB (per channel, if stereo)? _____
- 12) The rear of the AM4A Housing (AH21) is punched for "XL" type connectors. Do you want these installed at the factory? (All inputs and outputs.) _____
- 13) In the trough between the sloping panel section and the meter panel, Langevin normally provides 4 rotary two-position switches marked MIC-LINE for switching the input service to 4 AM401 Modules. Is this satisfactory? _____
- 14) If the answer to 13, above, is "no" ... and if you want a different quantity of input channels so equipped, please enter the total number in the blank at the right. _____
- 15) You will find the color scheme for the AM4A described in Langevin sales literature. If you desire other colors, you will be requested to supply one gallon (minimum) of paint. Paint will be baking enamel per Langevin specs. Question: Are the standard colors, per sales literature, satisfactory? _____

IMPORTANT NOTE: You will have noticed that there are many options available when ordering your AM4A System. Foregoing questions (1 through 15) are on points that we do NOT consider as being "special", although some of them do represent an added charge. Other modifications to the system can be made ... but some of them involve modification outside of the Langevin factory by firms to which Langevin can supply instructions. If you have any special requirements, please attach a sheet (or sheets) explaining same.

- 16) Have you attached any sheets requesting unusual, non-standard or unique system modifications? _____
- 17) If the answer to 16, above, is "yes", please enter in the blank at the right the total number of sheets that you have attached to this form. _____

AM4A PRICING SCHEDULE

A	Qty. _____	AM401 Input Modules (item 2, page 2)	
	@ \$375.00	\$ _____
B	Qty. _____	AM407 Output Modules (item 4, page 2)	
	@ \$345.00	\$ _____
C		MG61 Board Master Gain Module (item 5, page 2)	
		2-channel, \$215.00	
		3-channel, \$278.00	
		4-channel, \$340.00	\$ _____
D		Housing, AH21/13 or AH21/19 (item 7, page 2)	
		AH21/13 (13 module) \$890.13	
		AH21/19 (19 module) \$1300.95	\$ _____
E	Qty. _____	Blank Panel Modules	
		(Obtain the quantity by adding the number of input modules in A to the number of output modules in B, above. Add 1 if MG61, item C, above is ordered also. Subtract this total from the module capacity of the housing in D.)	
	@ \$10.00	\$ _____
F		Monitor Master Gain Control (items 10 and 11, page 3)	
		2-channel T, \$67.20 2-channel ladder, \$50.60	
		3-channel T, \$116.40 3-channel ladder, \$72.90	
		4-channel T, \$152.80 4-channel ladder, \$95.70	
		Prices include dial plate, knob, installation.	\$ _____
G	Qty. _____	Vu Meters (item 9, page 3)	
	@ \$50.00	\$ _____
H	Qty. _____	Vu Meter Blank Panels	
		(Obtain this quantity by subtracting item 9, page 3, from item 3, page 2)	
	@ \$5.00	\$ _____
J	Qty. _____	"XL"-type connectors, installed	
		One per each input channel (item 1, page 2), plus quantity 4 (for line inputs) OR per item 14, page 3.	
		4 per output channel (item 3, page 2)	
	@ \$7.50	\$ _____

K Qty. _____ additional MIC-LINE switches
 (Obtain quantity by subtracting qty. 4 from
 item 14, page 3.)
 @ \$18.50 (incl. plate, knob, installation) \$ _____

L Non-standard finishing (item 15, page 3)
 Housing, \$50.00
 Any module, @ \$7.50
 (Baking enamel per Langevin spec., to users
 desired color, must be supplied to Langevin
 free of charge by user.) \$ _____

TOTAL \$ _____

NOTE: Any special features desired must be quoted on an individual basis. Please see the note on page 3.

PRICES: All prices shown are professional net, FOB Santa Ana, Calif.
 TERMS: 1% 10 days
 Net, 30 days
 SHIPMENT: Shipment will be made directly from Santa Ana, California.
 Please specify preferred method and preferred carrier.
 Charges will be prepaid by Langevin and billed to consignee.
 DELIVERY: Upon receipt of this form, Langevin will notify you of the
 earliest possible delivery date.

PLEASE DON'T FORGET

Attach sheets telling us of anything special or unusual.